

Month/Year: _____

Log for the Operation and Maintenance of the Bulk Sterilizer

Room: 011

| Day | Daily | | | | | Weekly | | | | Day | |
|-----|-------------------|------------------|------------------------|------------------------------------|-------------------------|----------|-------------------|----------------|----------|-----|----------|
| | Used? Yes / No | Check Screens | Inspect Door Gasket | Bowie-Dick Test P = Pass F=Fail | Sweep Interior Floor | Initials | Clean Interior | Clean Exterior | Initials | | Comments |
| 1 | | | | | | | | | | | 1 |
| 2 | | | | | | | | | | | 2 |
| 3 | | | | | | | | | | | 3 |
| 4 | | | | | | | | | | | 4 |
| 5 | | | | | | | | | | | 5 |
| 6 | | | | | | | | | | | 6 |
| 7 | | | | | | | | | | | 7 |
| 8 | | | | | | | | | | | 8 |
| 9 | | | | | | | | | | | 9 |
| 10 | | | | | | | | | | | 10 |
| 11 | | | | | | | | | | | 11 |
| 12 | | | | | | | | | | | 12 |
| 13 | | | | | | | | | | | 13 |
| 14 | | | | | | | | | | | 14 |
| 15 | | | | | | | | | | | 15 |
| 16 | | | | | | | | | | | 16 |
| 17 | | | | | | | | | | | 17 |
| 18 | | | | | | | | | | | 18 |
| 19 | | | | | | | | | | | 19 |
| 20 | | | | | | | | | | | 20 |
| 21 | | | | | | | | | | | 21 |
| 22 | | | | | | | | | | | 22 |
| 23 | | | | | | | | | | | 23 |
| 24 | | | | | | | | | | | 24 |
| 25 | | | | | | | | | | | 25 |
| 26 | | | | | | | | | | | 26 |
| 27 | | | | | | | | | | | 27 |
| 28 | | | | | | | | | | | 28 |
| 29 | | | | | | | | | | | 29 |
| 30 | | | | | | | | | | | 30 |
| 31 | | | | | | | | | | | 31 |

Operation Managers Initials _____

Date _____